

FEATURES



Anti-Static



PS Rated Aramid Protective Midsole



Heat Resistant Outsole to 300°C



Fuel Oil Resistant Outsole



Scuff Cap



Waterproof Membrane



Fibreglass Toecap



SR Slip Resistance



Non Metallic



Recycled Materials

INDUSTRIES



Agricultural



Utilities



Highways



Construction



House builders



Quarry and Mining



Rail

Product Details

Colour: Brown
Size Range: UK 3- 14
Height: 9.5 inches
Weight: 1009g



PRODUCT DESCRIPTION

Anti-Static, Cold insulation of outsole, Fibreglass Toecap, Oil Resistant Outsole, Fully Sustainable Packaging, Fully Waterproof, Heat Resistant outsole to 300°C, Heat Insulation of Outsole to 150°C, Internal Digging Plate, PS Rated Aramid Protective Midsole, Recycled Materials, Scuff Cap, SR Slip Resistance, Small Sizes, Water Repellent Upper, 100% Non-Metallic Construction

MATERIAL BREAKDOWN

Upper Material: LWG certified water repellent waxy buffalo leather
Webbing & Trims: Waxy buffalo leather pull loop & PU (topline trim)
Thread: Bonded Nylon
Lining: 60% Post consumer recycled polyester and 40% Nylon
Membrane: Activ-Tex® waterproof and moisture dissipating membrane
Footbed: EVA
Scuff Cap: TPU
Protective Toecap: Fibreglass
Protective Midsole: Activ-step® Aramid Fibre
Outsole: Force 10 Solid Nitrile Rubber
Digging plate: Impact Shield™ technology
Kick Protector: TPU

FEATURES, TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	×	×	✓	✓
Class 2	×	×	×	×	✓	✓	×	×
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	×	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	×	✓	✓	✓	✓	✓	✓	✓
Anti-Static	×	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	×	×	✓	✓	×	×	✓	✓
Perforation Resistance According To The Type	×	×	×	✓	×	✓	×	✓
Cleated Outsole	×	×	×	✓	×	✓	×	✓
Water Resistance Of The Entire Shoe	×	×	×	×	×	×	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear

Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification **does not** necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for you feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

[WWW.ROCKFALL.COM/
PRODUCTS/TEXAS](http://WWW.ROCKFALL.COM/PRODUCTS/TEXAS)

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15567-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:	Description:
Rock Fall RF610 HONEYSTONE ¹	Design Type: Ankle Boot (Design B) Upper: 2.0-2.2mm Honey Nubuck ¹ , 1.8-2.0mm Black Full Grain Leather ² Tongue: Black PU Collar: Black PU
Rock Fall RF611 DOLOMITE ²	Tongue Lining: Yellow Sandwich Mesh ¹ , Black Sandwich Mesh ² Collar Lining: Yellow Sandwich Mesh ¹ , Black Sandwich Mesh ² Vamp Lining: Grey Sympatex Quarter Lining: Grey Sympatex Counter Lining: Grey Sympatex Perforation Resistance: Non-Metallic White Composite insert Referenced PEP-Composite Toe Protection: Non-Metallic PEP-Composite Top Cap Last Reference: PEP-PL Soling Construction: Cemented Sole Material: Brown Rubber ¹ , Black Rubber ² Sole Reference: 2147#RB Insock/Footbed: Green Mesh + Green PU Form Full Removable Insock Fastening System: BOA [®] Scuff Cap: Black TPU
	Size Range: UK 3-16

Classification:

EN ISO 20345:2022 S7S HI SC HRO FO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0288579/1932, CHT0289394/1936, CHT0293351/1951, CHT0295327/2008, CHT0302306/2037/Issue 3, CHT0336968/2235/A, CHT1540T4J8, CHT0348196/2315, CHT2137P7K4
CTC: D171223899_1, D200403963_1, D221022388_2, D221022386_1
Intertek: GZHT90737593, GZHT90989386, GZHT91008322, GZHT91148023
CTT: CTT2403014737EN

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 08/01/2021

Date of issue: 31/10/2024

Expiry date: 31/10/2029

EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF610 Honeystone

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland . Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15567-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, republic of Ireland. Notified Body 2777**

Signature:



Position: Director

Date: 31/10/2024



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16499-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Rock Fall RF610
HONEYSTONE

Description:

Cemented construction, ankle boots with yellow honey Nubuck and synthetic lining, orange mesh + green PU full removable insock, fastened by BOA® fastening system, non-metallic white composite insert plate and non-metallic PEP-composite toecap and 2147#rubber outsole.

Rock Fall RF611
DOLOMITE

Cemented construction, ankle boots with black full grain and synthetic lining, orange mesh + green PU full removable insock, fastened by BOA® fastening system, non-metallic white composite insert plate and non-metallic PEP-composite toecap and 2147#rubber outsole.

Classification:

EN ISO 20345:2011 S3 WR HI HRO SRC

Size Range: 3 – 16 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

SATRA: CHT0288579/1932, CHT0289394/1936, CHT0293351/1951, CHT0295327/2008, CHT0302306/2037/Issue 3
CTC: D171223899_1, D200403963_1
Intertek: GZHT90737593, GZHT90989386, GZHT91008322

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 29/04/2021
Date of issue: 29/04/2021
Expiry date: 29/04/2026

UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the

PPE described hereafter;

ROCK FALL RF610 Honeystone

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16499-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:



Position: Director

Date: 29/04/2021

Certificate of Conformance (COC)

Certificate No. 2503038


Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2147#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: RF70

Gender: Unisex (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250305182_1	14 March, 2025
5.3 Compression Resistant (C)	D250305182_1	14 March, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
March 19, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com